Chain Pharmacy Immunization Delivery: Results of a Statewide Survey

Tammy Pilisuk, MPH
Unit Chief, Provider Education
Immunization Branch
California Department of Public Health


Jeffery A. Goad, Pharm.D., MPH Associate Professor of Clinical Pharmacy University of Southern California



#### **Trends**

 It's been said that the equivalent of the entire US population walks into a pharmacy every week (PAIC, 2006)

 46 states have laws permitting pharmacist IZ practice (IAC, 2007)





### The IZ Market is Changing



# **CA Survey Objectives**

- How many chains/locations offer IZs?
- What ages?
- Which vaccines (beyond flu)?
- Magnitude of pharmacy vaccines?

- How are they trained?
- What are IZ practice protocols?
- Do they want more IZ/vaccine info?
- Are they interested in collaboration with public health community?



# **Survey Methods**

- Instrument developed by a team
- One-on-one phone interviews
  - State-level IZ Coordinators at 8 CA chain pharmacies
  - Conducted during September 2007
- Quantitative follow-up mailed-back survey
  - Locations (vaccinating and non-vaccinating)
  - Quantity of vaccines given in 2006
  - Protocols, consent forms, VARs


### Results: Magnitude of Services

- 7 of 8 chains were already giving immunizations
  - 1 was to began in Fall 2007
- 538 pharmacy locations and almost 1,000 pharmacists trained across CA
  - ~ 5,000 pharmacies in CA
- Shots given year round (except influenza)
- Vaccines are given by appointments and walk-in

## Results: Magnitude of Services

- 7 of 8 chains were already giving immunizations
  - 1 was to began in Fall 2007
- 538 pharmacy locations and almost 1,000 pharmacists participate across CA
  - 5,800+ pharmacies in CA
  - Distributed in 1,100+ ZIP codes
  - 20,000+ pharmacists
- Shots given year round (except influenza)
- Vaccines are given by appointments and walkin

#### Which Vaccines are Given?



**Vaccine** 



# Who's Served?

#### Age

- Adults for all chains
- Minimum age varied from 9 to 18 yrs
- Compensation
  - All charge the patient directly
  - Most bill Medicare Part B and D when appropriate
  - 5 bill Medi-Cal (FFS only)
  - 3 bill health insurance (FFS only)



# **Pharmacist Training**

- All pharmacist vaccinators get APhA's IZ certificate training
- All required to have current Basic Life Support certification
- All required to undergo annual BBP training
- Continuing education
  - BOP requires 30 CEUs every 2 years (not IZ specific)
  - 6 of 8 chains provide in-house CE or inform pharmacists of upcoming opportunities



### **IZ Practice Procedures**

- The following were standard practice:
  - give out VIS
  - report to VAERS
  - Protocol for vaccines and epinephrine
  - Screening forms
  - Vaccine administration records
  - Consent forms
  - Update pt personal record, give new one, or give detailed receipt
- Offer free/discounted flu shots to staff pharmacists



# **Sharing IZ Records**

Policies to share IZ record with patient's PCP (n=8):

- •Fax (4/8)
- Send a letter (2/8)
- Phone (1/8)
- Ask patient to update PCP (1/8)



# **Collaboration Opportunities**

# All were interested in future collaboration with the State Immunization Branch

- Would distribute IZ info at pharmacy (6/8)
- Partner for mass vaccination clinics (6/8)
- Collaborate on public awareness projects (5/8)
- Would join the registry if available (5/8)
- Improve communication with the medical community (4/8)



### Limitations

- Does not represent all pharmacy entities
  - Independents and mass merchandisers were not surveyed
- Quantity of vaccines given was categorized instead of continuous
- Unknown how many of the IZ trained pharmacists are giving vaccines



#### Next Steps...

- 1. Establish a communication system to share IZ information with chain pharmacies
- 2. Identify training needs and training resources
- 3. Explore options for pharmacist-medical home IZ record sharing (promote best practices)
- 4. Build partnerships between pharmacists & public health



# **Summary & Conclusions**

- Chain pharmacies part of IZ delivery
- Mostly adults; some serve adolescents & preteens
- Vaccine market share still low
- Training requirements defined
- Protocols in place: issues identified
- Chains interested in collaboration possibilities = future opportunity



### **Contact Us**

- Tammy Pilisuk, MPH
   Unit Chief, Provider Education
   California Dept of Public Health, Immunization Branch
   Tammy.Pilisuk@cdph.ca.gov
- Dr. Jeffery A. Goad, Pharm.D., MPH, FCPhA, FCSHP, Assoc. Professor of Clinical Pharmacy Univ. Southern California, School of Pharmacy goad@usc.edu

