



IDAHO DEPARTMENT OF HEALTH & WELFARE
DIVISION OF PUBLIC HEALTH

Heat Maps of Attitude Responses

How Perceptions of Barriers and Risks Influences the Likelihood of STD Testing, Stratified by Gender and Age; Boise, Idaho 2015

Diana Gardner et al.

9/21/2016

Abstract: Perceived barriers and risks influencing STD testing in young adults in Boise, Idaho remains undefined. Young adults were surveyed in seven settings, with the goal of better understanding knowledge, attitudes and perceptions about STD testing in order to enhance STD prevention and diagnosis efforts in this population. A face-to-face survey was conducted containing 29 Likert-scale questions focused on knowledge, attitudes and perceptions toward STD prevention and diagnosis. Data was analyzed using SAS chi-square analysis with a 0.05 p value level of significance. Nearly 300 individuals completed the survey. There were 144 females and 139 males. Median age of participants was 20. Twice as many males stated they would not know where to get tested for STDs, compared to females (32% vs. 18%). More females 'reported likely to test' (RLT) if engaged in unprotected oral intercourse (46% vs. 35%), if their partner had a STD (94% vs. 85%), if they had intercourse with more than one person at a time (81% vs. 70%), or had intercourse while intoxicated (69% vs. 60%). Trending towards significance, more males RLT after engaging in unprotected or anal intercourse (41% vs. 32% p value 0.06). Over one-third of total respondents (37%) RLT if their roommate had a STD; 26% reported less likely to test if they had a new partner; and 30% reported less likely to test after having unprotected sex. Overall, 32% of respondents stated not knowing where to get tested, and 50% reported cost as a barrier. Results stratified by gender showed more females than males, overall, would seek testing in the same sexual risk circumstances. Respondents 17 years and younger were less likely to seek testing under the majority of circumstances. Findings of this study suggest that increased education for STD prevention and diagnosis is needed for young adults living in Boise, Idaho.

Contents

Demographics Table	6
Dot density example	6
Q1.1 Test: If I had a new sexual partner	7
with Q1.2 Test: If I showed symptoms of an STD	7
with Q1.3 Test: If I had unprotected intercourse	8
with Q1.4 Test: If I had intercourse with someone I do not know	9
with Q1.5 Test: If I had intercourse while intoxicated	10
with Q1.6 Test: If I had intercourse with more than one person at a time	11
with Q1.7 Test: If a condom broke during intercourse	12
with Q1.8 Test: If I found a genital wart	13
with Q1.9 Test: If I got a cold sore around my mouth	14
with Q1.10 Test: If my roommate or friend has an STD	15
with Q1.11 Test: If my partner has an STD	16
with Q1.12 Test: If my partner had intercourse with someone else	17
with Q1.13 Test: If I had protected anal intercourse	18
with Q1.14 Test: If I had unprotected anal intercourse	19
with Q1.15 Test: If I had unprotected oral intercourse	20
with Q1.16 Test: If I found out I or my partner was pregnant	21
Q1.2 Test: If I showed symptoms of an STD	22
with Q1.3 Test: If I had unprotected intercourse	22
with Q1.4 Test: If I had intercourse with someone I do not know	23
with Q1.5 Test: If I had intercourse while intoxicated	24
with Q1.6 Test: If I had intercourse with more than one person at a time	25
with Q1.7 Test: If a condom broke during intercourse	26
with Q1.8 Test: If I found a genital wart	27
with Q1.9 Test: If I got a cold sore around my mouth	28
with Q1.10 Test: If my roommate or friend has an STD	29
with Q1.11 Test: If my partner has an STD	30
with Q1.12 Test: If my partner had intercourse with someone else	31
with Q1.13 Test: If I had protected anal intercourse	32

with Q1.14 Test: If I had unprotected anal intercourse	33
with Q1.15 Test: If I had unprotected oral intercourse	34
with Q1.16 Test: If I found out I or my partner was pregnant	35
Q1.3 Test: If I had unprotected intercourse.....	36
with Q1.4 Test: If I had intercourse with someone I do not know	36
with Q1.5 Test: If I had intercourse while intoxicated.....	37
with Q1.6 Test: If I had intercourse with more than one person at a time.....	38
with Q1.7 Test: If a condom broke during intercourse.....	39
with Q1.8 Test: If I found a genital wart.....	40
with Q1.9 Test: If I got a cold sore around my mouth.....	41
with Q1.10 Test: If my roommate or friend has an STD	42
with Q1.11 Test: If my partner has an STD	43
with Q1.12 Test: If my partner had intercourse with someone else.....	44
with Q1.13 Test: If I had protected anal intercourse	45
with Q1.14 Test: If I had unprotected anal intercourse	46
with Q1.15 Test: If I had unprotected oral intercourse.....	47
with Q1.16 Test: If I found out I or my partner was pregnant	48
Q1.4 Test: If I had intercourse with someone I do not know	49
with Q1.5 Test: If I had intercourse while intoxicated.....	49
with Q1.6 Test: If I had intercourse with more than one person at a time.....	50
with Q1.7 Test: If a condom broke during intercourse.....	51
with Q1.8 Test: If I found a genital wart.....	52
with Q1.9 Test: If I got a cold sore around my mouth.....	53
with Q1.10 Test: If my roommate or friend has an STD	54
with Q1.11 Test: If my partner has an STD	55
with Q1.12 Test: If my partner had intercourse with someone else.....	56
with Q1.13 Test: If I had protected anal intercourse	57
with Q1.14 Test: If I had unprotected anal intercourse	58
with Q1.15 Test: If I had unprotected oral intercourse.....	59
with Q1.16 Test: If I found out I or my partner was pregnant	60
Q1.5 Test: If I had intercourse while intoxicated	61

with Q1.6 Test: If I had intercourse with more than one person at a time.....	61
with Q1.7 Test: If a condom broke during intercourse.....	62
with Q1.8 Test: If I found a genital wart.....	63
with Q1.9 Test: If I got a cold sore around my mouth.....	64
with Q1.10 Test: If my roommate or friend has an STD	65
with Q1.11 Test: If my partner has an STD	66
with Q1.12 Test: If my partner had intercourse with someone else.....	67
with Q1.13 Test: If I had protected anal intercourse	68
with Q1.14 Test: If I had unprotected anal intercourse	69
with Q1.15 Test: If I had unprotected oral intercourse.....	70
with Q1.16 Test: If I found out I or my partner was pregnant	71
Q1.6 Test: If I had intercourse with more than one person at a time.....	72
with Q1.7 Test: If a condom broke during intercourse.....	72
with Q1.8 Test: If I found a genital wart.....	73
with Q1.9 Test: If I got a cold sore around my mouth.....	74
with Q1.10 Test: If my roommate or friend has an STD	75
with Q1.11 Test: If my partner has an STD	76
with Q1.12 Test: If my partner had intercourse with someone else.....	77
with Q1.13 Test: If I had protected anal intercourse	78
with Q1.14 Test: If I had unprotected anal intercourse	79
with Q1.15 Test: If I had unprotected oral intercourse.....	80
with Q1.16 Test: If I found out I or my partner was pregnant	81
Q1.7 Test: If a condom broke during intercourse.....	82
with Q1.8 Test: If I found a genital wart.....	82
with Q1.9 Test: If I got a cold sore around my mouth.....	83
with Q1.10 Test: If my roommate or friend has an STD	84
with Q1.11 Test: If my partner has an STD	85
with Q1.12 Test: If my partner had intercourse with someone else.....	86
with Q1.13 Test: If I had protected anal intercourse	87
with Q1.14 Test: If I had unprotected anal intercourse	88
with Q1.15 Test: If I had unprotected oral intercourse.....	89

with Q1.16 Test: If I found out I or my partner was pregnant	90
Q1.8 Test: If I found a genital wart.....	91
with Q1.9 Test: If I got a cold sore around my mouth.....	91
with Q1.10 Test: If my roommate or friend has an STD	92
with Q1.11 Test: If my partner has an STD	93
with Q1.12 Test: If my partner had intercourse with someone else.....	94
with Q1.13 Test: If I had protected anal intercourse	95
with Q1.14 Test: If I had unprotected anal intercourse	96
with Q1.15 Test: If I had unprotected oral intercourse.....	97
with Q1.16 Test: If I found out I or my partner was pregnant	98
Q1.9 Test: If I got a cold sore around my mouth	99
with Q1.10 Test: If my roommate or friend has an STD	99
with Q1.11 Test: If my partner has an STD	100
with Q1.12 Test: If my partner had intercourse with someone else.....	101
with Q1.13 Test: If I had protected anal intercourse	102
with Q1.14 Test: If I had unprotected anal intercourse	103
with Q1.15 Test: If I had unprotected oral intercourse.....	104
with Q1.16 Test: If I found out I or my partner was pregnant	105
Q1.10 Test: If my roommate or friend has an STD	106
with Q1.11 Test: If my partner has an STD	106
with Q1.12 Test: If my partner had intercourse with someone else.....	107
with Q1.13 Test: If I had protected anal intercourse	108
with Q1.14 Test: If I had unprotected anal intercourse	109
with Q1.15 Test: If I had unprotected oral intercourse.....	110
with Q1.16 Test: If I found out I or my partner was pregnant	111
Q1.11 Test: If my partner has an STD	112
with Q1.12 Test: If my partner had intercourse with someone else.....	112
with Q1.13 Test: If I had protected anal intercourse	113
with Q1.14 Test: If I had unprotected anal intercourse	114
with Q1.15 Test: If I had unprotected oral intercourse.....	115
with Q1.16 Test: If I found out I or my partner was pregnant	116


Q1.12 Test: If my partner had intercourse with someone else	117
with Q1.13 Test: If I had protected anal intercourse	117
with Q1.14 Test: If I had unprotected anal intercourse	118
with Q1.15 Test: If I had unprotected oral intercourse	119
with Q1.16 Test: If I found out I or my partner was pregnant	120
Q1.13 Test: If I had protected anal intercourse	121
with Q1.14 Test: If I had unprotected anal intercourse	121
with Q1.15 Test: If I had unprotected oral intercourse	122
with Q1.16 Test: If I found out I or my partner was pregnant	123
Q1.14 Test: If I had unprotected anal intercourse	124
with Q1.15 Test: If I had unprotected oral intercourse	124
with Q1.16 Test: If I found out I or my partner was pregnant	125
Q1.15 Test: If I had unprotected oral intercourse	126
with Q1.16 Test: If I found out I or my partner was pregnant	126

Demographics Table for Reference

Gender	Age				All Ages
	17 or Younger	18-25	26 or Older	No response	
Female	47	63	34		144
Male	44	75	17	3	139
No response	1		3	9	13
Other	2	1	1		4
All Genders	94	139	55	12	300


"No Response" and "Other" responses are excluded from the age and gender charts due to low counts.

Dot density example




The above graph example will allow estimation of number of responses in each response comparison.


**Q1.1 Test: If I had a new sexual partner
with Q1.2 Test: If I showed symptoms of an STD**




**Q1.1 Test: If I had a new sexual partner
with Q1.3 Test: If I had unprotected intercourse**




**Q1.1 Test: If I had a new sexual partner
with Q1.4 Test: If I had intercourse with someone I do not know**




**Q1.1 Test: If I had a new sexual partner
with Q1.5 Test: If I had intercourse while intoxicated**




Q1.1 Test: If I had a new sexual partner
with Q1.6 Test: If I had intercourse with more than one person at a time




**Q1.1 Test: If I had a new sexual partner
with Q1.7 Test: If a condom broke during intercourse**




**Q1.1 Test: If I had a new sexual partner
with Q1.8 Test: If I found a genital wart**




**Q1.1 Test: If I had a new sexual partner
with Q1.9 Test: If I got a cold sore around my mouth**




**Q1.1 Test: If I had a new sexual partner
with Q1.10 Test: If my roommate or friend has an STD**




**Q1.1 Test: If I had a new sexual partner
with Q1.11 Test: If my partner has an STD**




**Q1.1 Test: If I had a new sexual partner
with Q1.12 Test: If my partner had intercourse with someone else**




**Q1.1 Test: If I had a new sexual partner
with Q1.13 Test: If I had protected anal intercourse**




**Q1.1 Test: If I had a new sexual partner
with Q1.14 Test: If I had unprotected anal intercourse**




**Q1.1 Test: If I had a new sexual partner
with Q1.15 Test: If I had unprotected oral intercourse**




**Q1.1 Test: If I had a new sexual partner
with Q1.16 Test: If I found out I or my partner was pregnant**




**Q1.2 Test: If I showed symptoms of an STD
with Q1.3 Test: If I had unprotected intercourse**




Q1.2 Test: If I showed symptoms of an STD
with Q1.4 Test: If I had intercourse with someone I do not know




Q1.2 Test: If I showed symptoms of an STD
with Q1.5 Test: If I had intercourse while intoxicated




Q1.2 Test: If I showed symptoms of an STD
with Q1.6 Test: If I had intercourse with more than one person at a time




Q1.2 Test: If I showed symptoms of an STD
with Q1.7 Test: If a condom broke during intercourse




**Q1.2 Test: If I showed symptoms of an STD
with Q1.8 Test: If I found a genital wart**




Q1.2 Test: If I showed symptoms of an STD
with Q1.9 Test: If I got a cold sore around my mouth




Q1.2 Test: If I showed symptoms of an STD
with Q1.10 Test: If my roommate or friend has an STD




**Q1.2 Test: If I showed symptoms of an STD
with Q1.11 Test: If my partner has an STD**




Q1.2 Test: If I showed symptoms of an STD
with Q1.12 Test: If my partner had intercourse with someone else




**Q1.2 Test: If I showed symptoms of an STD
with Q1.13 Test: If I had protected anal intercourse**




**Q1.2 Test: If I showed symptoms of an STD
with Q1.14 Test: If I had unprotected anal intercourse**




Q1.2 Test: If I showed symptoms of an STD
with Q1.15 Test: If I had unprotected oral intercourse




**Q1.2 Test: If I showed symptoms of an STD
with Q1.16 Test: If I found out I or my partner was pregnant**




**Q1.3 Test: If I had unprotected intercourse
with Q1.4 Test: If I had intercourse with someone I do not know**




**Q1.3 Test: If I had unprotected intercourse
with Q1.5 Test: If I had intercourse while intoxicated**




**Q1.3 Test: If I had unprotected intercourse
with Q1.6 Test: If I had intercourse with more than one person at a time**




**Q1.3 Test: If I had unprotected intercourse
with Q1.7 Test: If a condom broke during intercourse**




**Q1.3 Test: If I had unprotected intercourse
with Q1.8 Test: If I found a genital wart**




**Q1.3 Test: If I had unprotected intercourse
with Q1.9 Test: If I got a cold sore around my mouth**




**Q1.3 Test: If I had unprotected intercourse
with Q1.10 Test: If my roommate or friend has an STD**




**Q1.3 Test: If I had unprotected intercourse
with Q1.11 Test: If my partner has an STD**




**Q1.3 Test: If I had unprotected intercourse
with Q1.12 Test: If my partner had intercourse with someone else**




**Q1.3 Test: If I had unprotected intercourse
with Q1.13 Test: If I had protected anal intercourse**




**Q1.3 Test: If I had unprotected intercourse
with Q1.14 Test: If I had unprotected anal intercourse**




**Q1.3 Test: If I had unprotected intercourse
with Q1.15 Test: If I had unprotected oral intercourse**




**Q1.3 Test: If I had unprotected intercourse
with Q1.16 Test: If I found out I or my partner was pregnant**




**Q1.4 Test: If I had intercourse with someone I do not know
with Q1.5 Test: If I had intercourse while intoxicated**




Q1.4 Test: If I had intercourse with someone I do not know
with Q1.6 Test: If I had intercourse with more than one person at a time




**Q1.4 Test: If I had intercourse with someone I do not know
with Q1.7 Test: If a condom broke during intercourse**




**Q1.4 Test: If I had intercourse with someone I do not know
with Q1.8 Test: If I found a genital wart**




**Q1.4 Test: If I had intercourse with someone I do not know
with Q1.9 Test: If I got a cold sore around my mouth**




**Q1.4 Test: If I had intercourse with someone I do not know
with Q1.10 Test: If my roommate or friend has an STD**




**Q1.4 Test: If I had intercourse with someone I do not know
with Q1.11 Test: If my partner has an STD**




**Q1.4 Test: If I had intercourse with someone I do not know
with Q1.12 Test: If my partner had intercourse with someone else**



**Q1.4 Test: If I had intercourse with someone I do not know
with Q1.13 Test: If I had protected anal intercourse**




**Q1.4 Test: If I had intercourse with someone I do not know
with Q1.14 Test: If I had unprotected anal intercourse**




**Q1.4 Test: If I had intercourse with someone I do not know
with Q1.15 Test: If I had unprotected oral intercourse**




**Q1.4 Test: If I had intercourse with someone I do not know
with Q1.16 Test: If I found out I or my partner was pregnant**



Q1.5 Test: If I had intercourse while intoxicated
with Q1.6 Test: If I had intercourse with more than one person at a time



**Q1.5 Test: If I had intercourse while intoxicated
with Q1.7 Test: If a condom broke during intercourse**



**Q1.5 Test: If I had intercourse while intoxicated
with Q1.8 Test: If I found a genital wart**




**Q1.5 Test: If I had intercourse while intoxicated
with Q1.9 Test: If I got a cold sore around my mouth**




**Q1.5 Test: If I had intercourse while intoxicated
with Q1.10 Test: If my roommate or friend has an STD**



**Q1.5 Test: If I had intercourse while intoxicated
with Q1.11 Test: If my partner has an STD**



**Q1.5 Test: If I had intercourse while intoxicated
with Q1.12 Test: If my partner had intercourse with someone else**




**Q1.5 Test: If I had intercourse while intoxicated
with Q1.13 Test: If I had protected anal intercourse**




Q1.5 Test: If I had intercourse while intoxicated

**Q1.5 Test: If I had intercourse while intoxicated
with Q1.14 Test: If I had unprotected anal intercourse**




**Q1.5 Test: If I had intercourse while intoxicated
with Q1.15 Test: If I had unprotected oral intercourse**




**Q1.5 Test: If I had intercourse while intoxicated
with Q1.16 Test: If I found out I or my partner was pregnant**




**Q1.6 Test: If I had intercourse with more than one person at a time
with Q1.7 Test: If a condom broke during intercourse**




**Q1.6 Test: If I had intercourse with more than one person at a time
with Q1.8 Test: If I found a genital wart**




**Q1.6 Test: If I had intercourse with more than one person at a time
with Q1.9 Test: If I got a cold sore around my mouth**




**Q1.6 Test: If I had intercourse with more than one person at a time
with Q1.10 Test: If my roommate or friend has an STD**




**Q1.6 Test: If I had intercourse with more than one person at a time
with Q1.11 Test: If my partner has an STD**




**Q1.6 Test: If I had intercourse with more than one person at a time
with Q1.12 Test: If my partner had intercourse with someone else**




**Q1.6 Test: If I had intercourse with more than one person at a time
with Q1.13 Test: If I had protected anal intercourse**




**Q1.6 Test: If I had intercourse with more than one person at a time
with Q1.14 Test: If I had unprotected anal intercourse**




**Q1.6 Test: If I had intercourse with more than one person at a time
with Q1.15 Test: If I had unprotected oral intercourse**




**Q1.6 Test: If I had intercourse with more than one person at a time
with Q1.16 Test: If I found out I or my partner was pregnant**




**Q1.7 Test: If a condom broke during intercourse
with Q1.8 Test: If I found a genital wart**




**Q1.7 Test: If a condom broke during intercourse
with Q1.9 Test: If I got a cold sore around my mouth**




**Q1.7 Test: If a condom broke during intercourse
with Q1.10 Test: If my roommate or friend has an STD**




**Q1.7 Test: If a condom broke during intercourse
with Q1.11 Test: If my partner has an STD**




**Q1.7 Test: If a condom broke during intercourse
with Q1.12 Test: If my partner had intercourse with someone else**




**Q1.7 Test: If a condom broke during intercourse
with Q1.13 Test: If I had protected anal intercourse**




**Q1.7 Test: If a condom broke during intercourse
with Q1.14 Test: If I had unprotected anal intercourse**




**Q1.7 Test: If a condom broke during intercourse
with Q1.15 Test: If I had unprotected oral intercourse**




**Q1.7 Test: If a condom broke during intercourse
with Q1.16 Test: If I found out I or my partner was pregnant**




Q1.8 Test: If I found a genital wart
with Q1.9 Test: If I got a cold sore around my mouth




**Q1.8 Test: If I found a genital wart
with Q1.10 Test: If my roommate or friend has an STD**




**Q1.8 Test: If I found a genital wart
with Q1.11 Test: If my partner has an STD**




**Q1.8 Test: If I found a genital wart
with Q1.12 Test: If my partner had intercourse with someone else**




**Q1.8 Test: If I found a genital wart
with Q1.13 Test: If I had protected anal intercourse**




**Q1.8 Test: If I found a genital wart
with Q1.14 Test: If I had unprotected anal intercourse**




**Q1.8 Test: If I found a genital wart
with Q1.15 Test: If I had unprotected oral intercourse**




**Q1.8 Test: If I found a genital wart
with Q1.16 Test: If I found out I or my partner was pregnant**




**Q1.9 Test: If I got a cold sore around my mouth
with Q1.10 Test: If my roommate or friend has an STD**




**Q1.9 Test: If I got a cold sore around my mouth
with Q1.11 Test: If my partner has an STD**




**Q1.9 Test: If I got a cold sore around my mouth
with Q1.12 Test: If my partner had intercourse with someone else**




**Q1.9 Test: If I got a cold sore around my mouth
with Q1.13 Test: If I had protected anal intercourse**




**Q1.9 Test: If I got a cold sore around my mouth
with Q1.14 Test: If I had unprotected anal intercourse**




**Q1.9 Test: If I got a cold sore around my mouth
with Q1.15 Test: If I had unprotected oral intercourse**




**Q1.9 Test: If I got a cold sore around my mouth
with Q1.16 Test: If I found out I or my partner was pregnant**




**Q1.10 Test: If my roommate or friend has an STD
with Q1.11 Test: If my partner has an STD**




Q1.10 Test: If my roommate or friend has an STD
with Q1.12 Test: If my partner had intercourse with someone else




**Q1.10 Test: If my roommate or friend has an STD
with Q1.13 Test: If I had protected anal intercourse**




**Q1.10 Test: If my roommate or friend has an STD
with Q1.14 Test: If I had unprotected anal intercourse**




**Q1.10 Test: If my roommate or friend has an STD
with Q1.15 Test: If I had unprotected oral intercourse**




**Q1.10 Test: If my roommate or friend has an STD
with Q1.16 Test: If I found out I or my partner was pregnant**




Q1.11 Test: If my partner has an STD
with Q1.12 Test: If my partner had intercourse with someone else




**Q1.11 Test: If my partner has an STD
with Q1.13 Test: If I had protected anal intercourse**




**Q1.11 Test: If my partner has an STD
with Q1.14 Test: If I had unprotected anal intercourse**




**Q1.11 Test: If my partner has an STD
with Q1.15 Test: If I had unprotected oral intercourse**




**Q1.11 Test: If my partner has an STD
with Q1.16 Test: If I found out I or my partner was pregnant**




**Q1.12 Test: If my partner had intercourse with someone else
with Q1.13 Test: If I had protected anal intercourse**




**Q1.12 Test: If my partner had intercourse with someone else
with Q1.14 Test: If I had unprotected anal intercourse**




**Q1.12 Test: If my partner had intercourse with someone else
with Q1.15 Test: If I had unprotected oral intercourse**




**Q1.12 Test: If my partner had intercourse with someone else
with Q1.16 Test: If I found out I or my partner was pregnant**




**Q1.13 Test: If I had protected anal intercourse
with Q1.14 Test: If I had unprotected anal intercourse**




**Q1.13 Test: If I had protected anal intercourse
with Q1.15 Test: If I had unprotected oral intercourse**




**Q1.13 Test: If I had protected anal intercourse
with Q1.16 Test: If I found out I or my partner was pregnant**



**Q1.14 Test: If I had unprotected anal intercourse
with Q1.15 Test: If I had unprotected oral intercourse**



**Q1.14 Test: If I had unprotected anal intercourse
with Q1.16 Test: If I found out I or my partner was pregnant**



**Q1.15 Test: If I had unprotected oral intercourse
with Q1.16 Test: If I found out I or my partner was pregnant**

