



IDAHO DEPARTMENT OF HEALTH & WELFARE
DIVISION OF PUBLIC HEALTH

Heat Maps Crossing Attitude & Barrier Responses

How Perceptions of Barriers and Risks Influences the Likelihood of STD Testing, Stratified by Gender and Age; Boise, Idaho 2015

Diana Gardner et al.

9/21/2016

Abstract: Perceived barriers and risks influencing STD testing in young adults in Boise, Idaho remains undefined. Young adults were surveyed in seven settings, with the goal of better understanding knowledge, attitudes and perceptions about STD testing in order to enhance STD prevention and diagnosis efforts in this population. A face-to-face survey was conducted containing 29 Likert-scale questions focused on knowledge, attitudes and perceptions toward STD prevention and diagnosis. Data was analyzed using SAS chi-square analysis with a 0.05 p value level of significance. Nearly 300 individuals completed the survey. There were 144 females and 139 males. Median age of participants was 20. Twice as many males stated they would not know where to get tested for STDs, compared to females (32% vs. 18%). More females 'reported likely to test' (RLT) if engaged in unprotected oral intercourse (46% vs. 35%), if their partner had a STD (94% vs. 85%), if they had intercourse with more than one person at a time (81% vs. 70%), or had intercourse while intoxicated (69% vs. 60%). Trending towards significance, more males RLT after engaging in unprotected or anal intercourse (41% vs. 32% p value 0.06). Over one-third of total respondents (37%) RLT if their roommate had a STD; 26% reported less likely to test if they had a new partner; and 30% reported less likely to test after having unprotected sex. Overall, 32% of respondents stated not knowing where to get tested, and 50% reported cost as a barrier. Results stratified by gender showed more females than males, overall, would seek testing in the same sexual risk circumstances. Respondents 17 years and younger were less likely to seek testing under the majority of circumstances. Findings of this study suggest that increased education for STD prevention and diagnosis is needed for young adults living in Boise, Idaho.

Contents

Demographics Table	9
Dot density example	9
Q1.1 Test: If I had a new sexual partner	10
with Q3.1 I would not know where to go to get tested	10
with Q3.2 I would worry about the cost of an STD test	11
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	12
with Q3.4 It would be embarrassing to inform my partners of my STD results	13
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result.....	14
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs	15
with Q3.7 I would worry about my STD test results not being kept confidential	16
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....	17
with Q3.9 I would worry about family members finding out that I was tested for STDs.....	18
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done	19
with Q3.11 I would worry about my testing information being mailed to my address	20
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs	21
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know	22
Q1.2 Test: If I showed symptoms of an STD	23
with Q3.1 I would not know where to go to get tested	23
with Q3.2 I would worry about the cost of an STD test	24
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	25
with Q3.4 It would be embarrassing to inform my partners of my STD results	26
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result.....	27
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs	28
with Q3.7 I would worry about my STD test results not being kept confidential	29
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....	30
with Q3.9 I would worry about family members finding out that I was tested for STDs.....	31
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done	32
with Q3.11 I would worry about my testing information being mailed to my address	33
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs	34
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know	35

Q1.3 Test: If I had unprotected intercourse.....	36
with Q3.1 I would not know where to go to get tested	36
with Q3.2 I would worry about the cost of an STD test	37
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	38
with Q3.4 It would be embarrassing to inform my partners of my STD results	39
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result.....	40
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs	41
with Q3.7 I would worry about my STD test results not being kept confidential	42
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....	43
with Q3.9 I would worry about family members finding out that I was tested for STDs.....	44
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done	45
with Q3.11 I would worry about my testing information being mailed to my address	46
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs	47
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know	48
Q1.4 Test: If I had intercourse with someone I do not know	49
with Q3.1 I would not know where to go to get tested	49
with Q3.2 I would worry about the cost of an STD test	50
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	51
with Q3.4 It would be embarrassing to inform my partners of my STD results	52
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result.....	53
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs	54
with Q3.7 I would worry about my STD test results not being kept confidential	55
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....	56
with Q3.9 I would worry about family members finding out that I was tested for STDs.....	57
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done	58
with Q3.11 I would worry about my testing information being mailed to my address	59
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs	60
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know	61
Q1.5 Test: If I had intercourse while intoxicated	62
with Q3.1 I would not know where to go to get tested	62
with Q3.2 I would worry about the cost of an STD test	63

with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	64
with Q3.4 It would be embarrassing to inform my partners of my STD results	65
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result.....	66
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs	67
with Q3.7 I would worry about my STD test results not being kept confidential	68
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....	69
with Q3.9 I would worry about family members finding out that I was tested for STDs.....	70
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done	71
with Q3.11 I would worry about my testing information being mailed to my address	72
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs	73
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know	74
Q1.6 Test: If I had intercourse with more than one person at a time.....	75
with Q3.1 I would not know where to go to get tested	75
with Q3.2 I would worry about the cost of an STD test	76
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	77
with Q3.4 It would be embarrassing to inform my partners of my STD results	78
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result.....	79
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs	80
with Q3.7 I would worry about my STD test results not being kept confidential	81
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....	82
with Q3.9 I would worry about family members finding out that I was tested for STDs.....	83
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done	84
with Q3.11 I would worry about my testing information being mailed to my address	85
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs	86
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know	87
Q1.7 Test: If a condom broke during intercourse.....	88
with Q3.1 I would not know where to go to get tested	88
with Q3.2 I would worry about the cost of an STD test	89
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	90
with Q3.4 It would be embarrassing to inform my partners of my STD results	91
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result.....	92

with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs	93
with Q3.7 I would worry about my STD test results not being kept confidential	94
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....	95
with Q3.9 I would worry about family members finding out that I was tested for STDs.....	96
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done	97
with Q3.11 I would worry about my testing information being mailed to my address	98
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs	99
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know	100
Q1.8 Test: If I found a genital wart.....	101
with Q3.1 I would not know where to go to get tested	101
with Q3.2 I would worry about the cost of an STD test	102
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	103
with Q3.4 It would be embarrassing to inform my partners of my STD results	104
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result.....	105
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs	106
with Q3.7 I would worry about my STD test results not being kept confidential	107
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....	108
with Q3.9 I would worry about family members finding out that I was tested for STDs.....	109
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done	110
with Q3.11 I would worry about my testing information being mailed to my address	111
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs	112
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know	113
Q1.9 Test: If I got a cold sore around my mouth	114
with Q3.1 I would not know where to go to get tested	114
with Q3.2 I would worry about the cost of an STD test	115
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	116
with Q3.4 It would be embarrassing to inform my partners of my STD results	117
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result.....	118
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs	119
with Q3.7 I would worry about my STD test results not being kept confidential	120
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....	121

with Q3.9 I would worry about family members finding out that I was tested for STDs.....	122
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done	123
with Q3.11 I would worry about my testing information being mailed to my address.....	124
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs	125
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know	126
Q1.10 Test: If my roommate or friend has an STD	127
with Q3.1 I would not know where to go to get tested	127
with Q3.2 I would worry about the cost of an STD test	128
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	129
with Q3.4 It would be embarrassing to inform my partners of my STD results	130
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result.....	131
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs	132
with Q3.7 I would worry about my STD test results not being kept confidential	133
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....	134
with Q3.9 I would worry about family members finding out that I was tested for STDs.....	135
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done	136
with Q3.11 I would worry about my testing information being mailed to my address.....	137
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs	138
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know	139
Q1.11 Test: If my partner has an STD	140
with Q3.1 I would not know where to go to get tested	140
with Q3.2 I would worry about the cost of an STD test	141
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	142
with Q3.4 It would be embarrassing to inform my partners of my STD results	143
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result.....	144
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs	145
with Q3.7 I would worry about my STD test results not being kept confidential	146
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....	147
with Q3.9 I would worry about family members finding out that I was tested for STDs.....	148
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done	149
with Q3.11 I would worry about my testing information being mailed to my address.....	150

with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs	151
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know	152
Q1.12 Test: If my partner had intercourse with someone else.....	153
with Q3.1 I would not know where to go to get tested	153
with Q3.2 I would worry about the cost of an STD test	154
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	155
with Q3.4 It would be embarrassing to inform my partners of my STD results	156
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result.....	157
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs	158
with Q3.7 I would worry about my STD test results not being kept confidential	159
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....	160
with Q3.9 I would worry about family members finding out that I was tested for STDs.....	161
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done	162
with Q3.11 I would worry about my testing information being mailed to my address	163
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs	164
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know	165
Q1.13 Test: If I had protected anal intercourse	166
with Q3.1 I would not know where to go to get tested	166
with Q3.2 I would worry about the cost of an STD test	167
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	168
with Q3.4 It would be embarrassing to inform my partners of my STD results	169
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result.....	170
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs	171
with Q3.7 I would worry about my STD test results not being kept confidential	172
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....	173
with Q3.9 I would worry about family members finding out that I was tested for STDs.....	174
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done	175
with Q3.11 I would worry about my testing information being mailed to my address	176
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs	177
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know	178
Q1.14 Test: If I had unprotected anal intercourse	179

with Q3.1 I would not know where to go to get tested	179
with Q3.2 I would worry about the cost of an STD test	180
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	181
with Q3.4 It would be embarrassing to inform my partners of my STD results	182
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result.....	183
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs	184
with Q3.7 I would worry about my STD test results not being kept confidential	185
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....	186
with Q3.9 I would worry about family members finding out that I was tested for STDs.....	187
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done	188
with Q3.11 I would worry about my testing information being mailed to my address.....	189
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs	190
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know	191
Q1.15 Test: If I had unprotected oral intercourse	192
with Q3.1 I would not know where to go to get tested	192
with Q3.2 I would worry about the cost of an STD test	193
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	194
with Q3.4 It would be embarrassing to inform my partners of my STD results	195
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result.....	196
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs	197
with Q3.7 I would worry about my STD test results not being kept confidential	198
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....	199
with Q3.9 I would worry about family members finding out that I was tested for STDs.....	200
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done	201
with Q3.11 I would worry about my testing information being mailed to my address.....	202
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs	203
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know	204
Q1.16 Test: If I found out I or my partner was pregnant	205
with Q3.1 I would not know where to go to get tested	205
with Q3.2 I would worry about the cost of an STD test	206
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort.....	207

with Q3.4 It would be embarrassing to inform my partners of my STD results208

with Q3.5 I would worry about my partner’s reaction if I informed them I have a positive STD result.....209

with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs210

with Q3.7 I would worry about my STD test results not being kept confidential211

with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs.....212

with Q3.9 I would worry about family members finding out that I was tested for STDs.....213

with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done214

with Q3.11 I would worry about my testing information being mailed to my address.....215

with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs216


with Q3.13 I would not feel comfortable talking about my sex life with people I don’t know217

Demographics Table for Reference

Gender	Age				All Ages
	17 or Younger	18-25	26 or Older	No response	
Female	47	63	34		144
Male	44	75	17	3	139
No response	1		3	9	13
Other	2	1	1		4
All Genders	94	139	55	12	300

"No Response" and "Other" responses are excluded from the age and gender charts due to low counts.

Dot density example




The above graph example will allow estimation of number of responses in each response comparison.


**Q1.1 Test: If I had a new sexual partner
with Q3.1 I would not know where to go to get tested**



**Q1.1 Test: If I had a new sexual partner
with Q3.2 I would worry about the cost of an STD test**




**Q1.1 Test: If I had a new sexual partner
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort**



Q1.1 Test: If I had a new sexual partner

**Q1.1 Test: If I had a new sexual partner
with Q3.4 It would be embarrassing to inform my partners of my STD results**




**Q1.1 Test: If I had a new sexual partner
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result**



Q1.1 Test: If I had a new sexual partner

**Q1.1 Test: If I had a new sexual partner
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs**



**Q1.1 Test: If I had a new sexual partner
with Q3.7 I would worry about my STD test results not being kept confidential**







Q3.7 I would worry about my STD test results not being kept confidential



Q1.1 Test: If I had a new sexual partner


**Q1.1 Test: If I had a new sexual partner
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs**

Q3.8 Lack of access to a clinic could keep me from getting tested for



Q1.1 Test: If I had a new sexual partner

**Q1.1 Test: If I had a new sexual partner
with Q3.9 I would worry about family members finding out that I was tested for STDs**



Q1.1 Test: If I had a new sexual partner







**Q1.1 Test: If I had a new sexual partner
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done**



Q1.1 Test: If I had a new sexual partner

**Q1.1 Test: If I had a new sexual partner
with Q3.11 I would worry about my testing information being mailed to my address**

Q3.11 I would worry about my testing information being mailed to my






Q1.1 Test: If I had a new sexual partner

**Q1.1 Test: If I had a new sexual partner
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs**




**Q1.1 Test: If I had a new sexual partner
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know**

Q3.13 I would not feel comfortable talking about my sex life with people I don't know




Q1.1 Test: If I had a new sexual partner


**Q1.2 Test: If I showed symptoms of an STD
with Q3.1 I would not know where to go to get tested**




**Q1.2 Test: If I showed symptoms of an STD
with Q3.2 I would worry about the cost of an STD test**




Q1.2 Test: If I showed symptoms of an STD
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort



**Q1.2 Test: If I showed symptoms of an STD
with Q3.4 It would be embarrassing to inform my partners of my STD results**




Q1.2 Test: If I showed symptoms of an STD
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result



Q1.2 Test: If I showed symptoms of an STD
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs









**Q1.2 Test: If I showed symptoms of an STD
with Q3.7 I would worry about my STD test results not being kept confidential**




Q1.2 Test: If I showed symptoms of an STD
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs

Q3.8 Lack of access to a clinic could keep me from getting tested for




Q1.2 Test: If I showed symptoms of an STD

Q1.2 Test: If I showed symptoms of an STD
with Q3.9 I would worry about family members finding out that I was tested for STDs



Q1.2 Test: If I showed symptoms of an STD
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done



**Q1.2 Test: If I showed symptoms of an STD
with Q3.11 I would worry about my testing information being mailed to my address**

Q3.11 I would worry about my testing information being mailed to my



Q1.2 Test: If I showed symptoms of an STD


Q1.2 Test: If I showed symptoms of an STD
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs




Q1.2 Test: If I showed symptoms of an STD

**Q1.2 Test: If I showed symptoms of an STD
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know**


Q3.13 I would not feel comfortable talking about my sex life with people I don't know




All Respondents




Male




Female



Age 17 or Younger




Age 18 to 25




Age 26 or Older

Q1.2 Test: If I showed symptoms of an STD

**Q1.3 Test: If I had unprotected intercourse
with Q3.1 I would not know where to go to get tested**



**Q1.3 Test: If I had unprotected intercourse
with Q3.2 I would worry about the cost of an STD test**









**Q1.3 Test: If I had unprotected intercourse
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort**



Q1.3 Test: If I had unprotected intercourse

**Q1.3 Test: If I had unprotected intercourse
with Q3.4 It would be embarrassing to inform my partners of my STD results**

Q3.4 It would be embarrassing to inform my partners of my STD results



Q1.3 Test: If I had unprotected intercourse


**Q1.3 Test: If I had unprotected intercourse
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result**



**Q1.3 Test: If I had unprotected intercourse
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs**









**Q1.3 Test: If I had unprotected intercourse
with Q3.7 I would worry about my STD test results not being kept confidential**




**Q1.3 Test: If I had unprotected intercourse
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs**

Q3.8 Lack of access to a clinic could keep me from getting tested for




Q1.3 Test: If I had unprotected intercourse

**Q1.3 Test: If I had unprotected intercourse
with Q3.9 I would worry about family members finding out that I was tested for STDs**



**Q1.3 Test: If I had unprotected intercourse
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done**




**Q1.3 Test: If I had unprotected intercourse
with Q3.11 I would worry about my testing information being mailed to my address**

Q3.11 I would worry about my testing information being mailed to my



Q1.3 Test: If I had unprotected intercourse

**Q1.3 Test: If I had unprotected intercourse
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs**




**Q1.3 Test: If I had unprotected intercourse
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know**




**Q1.4 Test: If I had intercourse with someone I do not know
with Q3.1 I would not know where to go to get tested**



**Q1.4 Test: If I had intercourse with someone I do not know
with Q3.2 I would worry about the cost of an STD test**




**Q1.4 Test: If I had intercourse with someone I do not know
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort**




**Q1.4 Test: If I had intercourse with someone I do not know
with Q3.4 It would be embarrassing to inform my partners of my STD results**



**Q1.4 Test: If I had intercourse with someone I do not know
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result**



**Q1.4 Test: If I had intercourse with someone I do not know
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs**



Q1.4 Test: If I had intercourse with someone I do not know


**Q1.4 Test: If I had intercourse with someone I do not know
with Q3.7 I would worry about my STD test results not being kept confidential**




Q1.4 Test: If I had intercourse with someone I do not know

**Q1.4 Test: If I had intercourse with someone I do not know
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs**


Q3.8 Lack of access to a clinic could keep me from getting tested for




All Respondents




Male




Female



Age 17 or Younger



Age 18 to 25




Age 26 or Older

Q1.4 Test: If I had intercourse with someone I do not know

**Q1.4 Test: If I had intercourse with someone I do not know
with Q3.9 I would worry about family members finding out that I was tested for STDs**



**Q1.4 Test: If I had intercourse with someone I do not know
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done**



**Q1.4 Test: If I had intercourse with someone I do not know
with Q3.11 I would worry about my testing information being mailed to my address**



Q1.4 Test: If I had intercourse with someone I do not know

**Q1.4 Test: If I had intercourse with someone I do not know
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs**




Q1.4 Test: If I had intercourse with someone I do not know


**Q1.4 Test: If I had intercourse with someone I do not know
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know**



**Q1.5 Test: If I had intercourse while intoxicated
with Q3.1 I would not know where to go to get tested**



**Q1.5 Test: If I had intercourse while intoxicated
with Q3.2 I would worry about the cost of an STD test**




**Q1.5 Test: If I had intercourse while intoxicated
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort**



Q1.5 Test: If I had intercourse while intoxicated

**Q1.5 Test: If I had intercourse while intoxicated
with Q3.4 It would be embarrassing to inform my partners of my STD results**




**Q1.5 Test: If I had intercourse while intoxicated
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result**



Q1.5 Test: If I had intercourse while intoxicated

Q1.5 Test: If I had intercourse while intoxicated
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs









Q1.5 Test: If I had intercourse while intoxicated

**Q1.5 Test: If I had intercourse while intoxicated
with Q3.7 I would worry about my STD test results not being kept confidential**




**Q1.5 Test: If I had intercourse while intoxicated
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs**

Q3.8 Lack of access to a clinic could keep me from getting tested for



Q1.5 Test: If I had intercourse while intoxicated

**Q1.5 Test: If I had intercourse while intoxicated
with Q3.9 I would worry about family members finding out that I was tested for STDs**



**Q1.5 Test: If I had intercourse while intoxicated
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done**



Q1.5 Test: If I had intercourse while intoxicated

**Q1.5 Test: If I had intercourse while intoxicated
with Q3.11 I would worry about my testing information being mailed to my address**

Q3.11 I would worry about my testing information being mailed to my



Q1.5 Test: If I had intercourse while intoxicated


**Q1.5 Test: If I had intercourse while intoxicated
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs**




Q1.5 Test: If I had intercourse while intoxicated

**Q1.5 Test: If I had intercourse while intoxicated
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know**


Q3.13 I would not feel comfortable talking about my sex life with people I don't know




All Respondents




Male




Female



Age 17 or Younger




Age 18 to 25



Age 26 or Older


Q1.5 Test: If I had intercourse while intoxicated

**Q1.6 Test: If I had intercourse with more than one person at a time
with Q3.1 I would not know where to go to get tested**




Q1.6 Test: If I had intercourse with more than one person at a time

**Q1.6 Test: If I had intercourse with more than one person at a time
with Q3.2 I would worry about the cost of an STD test**




**Q1.6 Test: If I had intercourse with more than one person at a time
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort**




**Q1.6 Test: If I had intercourse with more than one person at a time
with Q3.4 It would be embarrassing to inform my partners of my STD results**




**Q1.6 Test: If I had intercourse with more than one person at a time
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result**



**Q1.6 Test: If I had intercourse with more than one person at a time
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs**









**Q1.6 Test: If I had intercourse with more than one person at a time
with Q3.7 I would worry about my STD test results not being kept confidential**




**Q1.6 Test: If I had intercourse with more than one person at a time
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs**

Q3.8 Lack of access to a clinic could keep me from getting tested for




Q1.6 Test: If I had intercourse with more than one person at a time

**Q1.6 Test: If I had intercourse with more than one person at a time
with Q3.9 I would worry about family members finding out that I was tested for STDs**



**Q1.6 Test: If I had intercourse with more than one person at a time
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done**



**Q1.6 Test: If I had intercourse with more than one person at a time
with Q3.11 I would worry about my testing information being mailed to my address**

Q3.11 I would worry about my testing information being mailed to my




Q1.6 Test: If I had intercourse with more than one person at a time

**Q1.6 Test: If I had intercourse with more than one person at a time
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs**




Q1.6 Test: If I had intercourse with more than one person at a time


**Q1.6 Test: If I had intercourse with more than one person at a time
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know**




**Q1.7 Test: If a condom broke during intercourse
with Q3.1 I would not know where to go to get tested**



**Q1.7 Test: If a condom broke during intercourse
with Q3.2 I would worry about the cost of an STD test**









**Q1.7 Test: If a condom broke during intercourse
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort**




**Q1.7 Test: If a condom broke during intercourse
with Q3.4 It would be embarrassing to inform my partners of my STD results**

Q3.4 It would be embarrassing to inform my partners of my STD results




Q1.7 Test: If a condom broke during intercourse


Q1.7 Test: If a condom broke during intercourse
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result



**Q1.7 Test: If a condom broke during intercourse
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs**




**Q1.7 Test: If a condom broke during intercourse
with Q3.7 I would worry about my STD test results not being kept confidential**




**Q1.7 Test: If a condom broke during intercourse
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs**


Q3.8 Lack of access to a clinic could keep me from getting tested for




All Respondents




Male



Female



Age 17 or Younger




Age 18 to 25




Age 26 or Older

Q1.7 Test: If a condom broke during intercourse

**Q1.7 Test: If a condom broke during intercourse
with Q3.9 I would worry about family members finding out that I was tested for STDs**



**Q1.7 Test: If a condom broke during intercourse
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done**




**Q1.7 Test: If a condom broke during intercourse
with Q3.11 I would worry about my testing information being mailed to my address**

Q3.11 I would worry about my testing information being mailed to my









Q1.7 Test: If a condom broke during intercourse

**Q1.7 Test: If a condom broke during intercourse
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs**




**Q1.7 Test: If a condom broke during intercourse
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know**

Q3.13 I would not feel comfortable talking about my sex life with people I don't know




Q1.7 Test: If a condom broke during intercourse


**Q1.8 Test: If I found a genital wart
with Q3.1 I would not know where to go to get tested**




**Q1.8 Test: If I found a genital wart
with Q3.2 I would worry about the cost of an STD test**




**Q1.8 Test: If I found a genital wart
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort**




**Q1.8 Test: If I found a genital wart
with Q3.4 It would be embarrassing to inform my partners of my STD results**




Q1.8 Test: If I found a genital wart
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result



Q1.8 Test: If I found a genital wart
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs









**Q1.8 Test: If I found a genital wart
with Q3.7 I would worry about my STD test results not being kept confidential**




**Q1.8 Test: If I found a genital wart
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs**

Q3.8 Lack of access to a clinic could keep me from getting tested for




Q1.8 Test: If I found a genital wart

**Q1.8 Test: If I found a genital wart
with Q3.9 I would worry about family members finding out that I was tested for STDs**



**Q1.8 Test: If I found a genital wart
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done**




**Q1.8 Test: If I found a genital wart
with Q3.11 I would worry about my testing information being mailed to my address**

Q3.11 I would worry about my testing information being mailed to my




Q1.8 Test: If I found a genital wart


**Q1.8 Test: If I found a genital wart
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs**




**Q1.8 Test: If I found a genital wart
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know**




**Q1.9 Test: If I got a cold sore around my mouth
with Q3.1 I would not know where to go to get tested**



**Q1.9 Test: If I got a cold sore around my mouth
with Q3.2 I would worry about the cost of an STD test**









**Q1.9 Test: If I got a cold sore around my mouth
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort**




**Q1.9 Test: If I got a cold sore around my mouth
with Q3.4 It would be embarrassing to inform my partners of my STD results**

Q3.4 It would be embarrassing to inform my partners of my STD results




Q1.9 Test: If I got a cold sore around my mouth


**Q1.9 Test: If I got a cold sore around my mouth
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result**



**Q1.9 Test: If I got a cold sore around my mouth
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs**









**Q1.9 Test: If I got a cold sore around my mouth
with Q3.7 I would worry about my STD test results not being kept confidential**




**Q1.9 Test: If I got a cold sore around my mouth
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs**

Q3.8 Lack of access to a clinic could keep me from getting tested for




Q1.9 Test: If I got a cold sore around my mouth

**Q1.9 Test: If I got a cold sore around my mouth
with Q3.9 I would worry about family members finding out that I was tested for STDs**









**Q1.9 Test: If I got a cold sore around my mouth
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done**




**Q1.9 Test: If I got a cold sore around my mouth
with Q3.11 I would worry about my testing information being mailed to my address**

Q3.11 I would worry about my testing information being mailed to my






Q1.9 Test: If I got a cold sore around my mouth

**Q1.9 Test: If I got a cold sore around my mouth
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs**




**Q1.9 Test: If I got a cold sore around my mouth
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know**

Q3.13 I would not feel comfortable talking about my sex life with people I don't know




Q1.9 Test: If I got a cold sore around my mouth

**Q1.10 Test: If my roommate or friend has an STD
with Q3.1 I would not know where to go to get tested**



**Q1.10 Test: If my roommate or friend has an STD
with Q3.2 I would worry about the cost of an STD test**



**Q1.10 Test: If my roommate or friend has an STD
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort**



Q1.10 Test: If my roommate or friend has an STD

**Q1.10 Test: If my roommate or friend has an STD
with Q3.4 It would be embarrassing to inform my partners of my STD results**




Q1.10 Test: If my roommate or friend has an STD


Q1.10 Test: If my roommate or friend has an STD
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result



Q1.10 Test: If my roommate or friend has an STD
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs




**Q1.10 Test: If my roommate or friend has an STD
with Q3.7 I would worry about my STD test results not being kept confidential**




**Q1.10 Test: If my roommate or friend has an STD
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs**


Q3.8 Lack of access to a clinic could keep me from getting tested for




All Respondents




Male




Female



Age 17 or Younger




Age 18 to 25



Age 26 or Older

Q1.10 Test: If my roommate or friend has an STD

**Q1.10 Test: If my roommate or friend has an STD
with Q3.9 I would worry about family members finding out that I was tested for STDs**



Q1.10 Test: If my roommate or friend has an STD
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done




**Q1.10 Test: If my roommate or friend has an STD
with Q3.11 I would worry about my testing information being mailed to my address**

Q3.11 I would worry about my testing information being mailed to my




Q1.10 Test: If my roommate or friend has an STD


**Q1.10 Test: If my roommate or friend has an STD
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs**




Q1.10 Test: If my roommate or friend has an STD
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know



**Q1.11 Test: If my partner has an STD
with Q3.1 I would not know where to go to get tested**




**Q1.11 Test: If my partner has an STD
with Q3.2 I would worry about the cost of an STD test**




Q1.11 Test: If my partner has an STD
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort




Q1.11 Test: If my partner has an STD
with Q3.4 It would be embarrassing to inform my partners of my STD results




Q1.11 Test: If my partner has an STD
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result



Q1.11 Test: If my partner has an STD
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs









**Q1.11 Test: If my partner has an STD
with Q3.7 I would worry about my STD test results not being kept confidential**




Q1.11 Test: If my partner has an STD
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs

Q3.8 Lack of access to a clinic could keep me from getting tested for




Q1.11 Test: If my partner has an STD

**Q1.11 Test: If my partner has an STD
with Q3.9 I would worry about family members finding out that I was tested for STDs**



Q1.11 Test: If my partner has an STD
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done




**Q1.11 Test: If my partner has an STD
with Q3.11 I would worry about my testing information being mailed to my address**

Q3.11 I would worry about my testing information being mailed to my




Q1.11 Test: If my partner has an STD

Q1.11 Test: If my partner has an STD
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs




Q1.11 Test: If my partner has an STD
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know


Q3.13 I would not feel comfortable talking about my sex life with people I don't know




All Respondents




Male




Female



Age 17 or Younger




Age 18 to 25



Age 26 or Older


Q1.11 Test: If my partner has an STD

**Q1.12 Test: If my partner had intercourse with someone else
with Q3.1 I would not know where to go to get tested**



Q1.12 Test: If my partner had intercourse with someone else

**Q1.12 Test: If my partner had intercourse with someone else
with Q3.2 I would worry about the cost of an STD test**




**Q1.12 Test: If my partner had intercourse with someone else
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort**




Q1.12 Test: If my partner had intercourse with someone else


**Q1.12 Test: If my partner had intercourse with someone else
with Q3.4 It would be embarrassing to inform my partners of my STD results**




**Q1.12 Test: If my partner had intercourse with someone else
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result**



**Q1.12 Test: If my partner had intercourse with someone else
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs**









**Q1.12 Test: If my partner had intercourse with someone else
with Q3.7 I would worry about my STD test results not being kept confidential**




**Q1.12 Test: If my partner had intercourse with someone else
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs**

Q3.8 Lack of access to a clinic could keep me from getting tested for



Q1.12 Test: If my partner had intercourse with someone else

**Q1.12 Test: If my partner had intercourse with someone else
with Q3.9 I would worry about family members finding out that I was tested for STDs**



**Q1.12 Test: If my partner had intercourse with someone else
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done**




**Q1.12 Test: If my partner had intercourse with someone else
with Q3.11 I would worry about my testing information being mailed to my address**

Q3.11 I would worry about my testing information being mailed to my




Q1.12 Test: If my partner had intercourse with someone else

**Q1.12 Test: If my partner had intercourse with someone else
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs**




**Q1.12 Test: If my partner had intercourse with someone else
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know**


Q3.13 I would not feel comfortable talking about my sex life with people I don't know




All Respondents




Male




Female



Age 17 or Younger




Age 18 to 25




Age 26 or Older

Q1.12 Test: If my partner had intercourse with someone else

**Q1.13 Test: If I had protected anal intercourse
with Q3.1 I would not know where to go to get tested**



**Q1.13 Test: If I had protected anal intercourse
with Q3.2 I would worry about the cost of an STD test**




**Q1.13 Test: If I had protected anal intercourse
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort**




**Q1.13 Test: If I had protected anal intercourse
with Q3.4 It would be embarrassing to inform my partners of my STD results**


Q3.4 It would be embarrassing to inform my partners of my STD results




All Respondents




Male




Female



Age 17 or Younger




Age 18 to 25



Age 26 or Older

Q1.13 Test: If I had protected anal intercourse


**Q1.13 Test: If I had protected anal intercourse
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result**



**Q1.13 Test: If I had protected anal intercourse
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs**









**Q1.13 Test: If I had protected anal intercourse
with Q3.7 I would worry about my STD test results not being kept confidential**



**Q1.13 Test: If I had protected anal intercourse
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs**

Q3.8 Lack of access to a clinic could keep me from getting tested for



Q1.13 Test: If I had protected anal intercourse

**Q1.13 Test: If I had protected anal intercourse
with Q3.9 I would worry about family members finding out that I was tested for STDs**



**Q1.13 Test: If I had protected anal intercourse
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done**




**Q1.13 Test: If I had protected anal intercourse
with Q3.11 I would worry about my testing information being mailed to my address**

Q3.11 I would worry about my testing information being mailed to my



Q1.13 Test: If I had protected anal intercourse

**Q1.13 Test: If I had protected anal intercourse
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs**




**Q1.13 Test: If I had protected anal intercourse
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know**




Q1.13 Test: If I had protected anal intercourse


**Q1.14 Test: If I had unprotected anal intercourse
with Q3.1 I would not know where to go to get tested**




**Q1.14 Test: If I had unprotected anal intercourse
with Q3.2 I would worry about the cost of an STD test**




**Q1.14 Test: If I had unprotected anal intercourse
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort**




**Q1.14 Test: If I had unprotected anal intercourse
with Q3.4 It would be embarrassing to inform my partners of my STD results**




**Q1.14 Test: If I had unprotected anal intercourse
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result**



**Q1.14 Test: If I had unprotected anal intercourse
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs**









**Q1.14 Test: If I had unprotected anal intercourse
with Q3.7 I would worry about my STD test results not being kept confidential**




**Q1.14 Test: If I had unprotected anal intercourse
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs**

Q3.8 Lack of access to a clinic could keep me from getting tested for




Q1.14 Test: If I had unprotected anal intercourse


**Q1.14 Test: If I had unprotected anal intercourse
with Q3.9 I would worry about family members finding out that I was tested for STDs**




**Q1.14 Test: If I had unprotected anal intercourse
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done**



**Q1.14 Test: If I had unprotected anal intercourse
with Q3.11 I would worry about my testing information being mailed to my address**




**Q1.14 Test: If I had unprotected anal intercourse
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs**




**Q1.14 Test: If I had unprotected anal intercourse
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know**




**Q1.15 Test: If I had unprotected oral intercourse
with Q3.1 I would not know where to go to get tested**




**Q1.15 Test: If I had unprotected oral intercourse
with Q3.2 I would worry about the cost of an STD test**




**Q1.15 Test: If I had unprotected oral intercourse
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort**




**Q1.15 Test: If I had unprotected oral intercourse
with Q3.4 It would be embarrassing to inform my partners of my STD results**



**Q1.15 Test: If I had unprotected oral intercourse
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result**



**Q1.15 Test: If I had unprotected oral intercourse
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs**



**Q1.15 Test: If I had unprotected oral intercourse
with Q3.7 I would worry about my STD test results not being kept confidential**







Q3.7 I would worry about my STD test results not being kept confidential



Q1.15 Test: If I had unprotected oral intercourse


**Q1.15 Test: If I had unprotected oral intercourse
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs**

Q3.8 Lack of access to a clinic could keep me from getting tested for



Q1.15 Test: If I had unprotected oral intercourse


**Q1.15 Test: If I had unprotected oral intercourse
with Q3.9 I would worry about family members finding out that I was tested for STDs**




Q1.15 Test: If I had unprotected oral intercourse

**Q1.15 Test: If I had unprotected oral intercourse
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done**


Q3.10 I would worry about people I know seeing me at a clinic where :




All Respondents




Male




Female



Age 17 or Younger



Age 18 to 25



Age 26 or Older

Q1.15 Test: If I had unprotected oral intercourse


**Q1.15 Test: If I had unprotected oral intercourse
with Q3.11 I would worry about my testing information being mailed to my address**

Q3.11 I would worry about my testing information being mailed to my



Q1.15 Test: If I had unprotected oral intercourse

**Q1.15 Test: If I had unprotected oral intercourse
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs**




**Q1.15 Test: If I had unprotected oral intercourse
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know**




Q1.15 Test: If I had unprotected oral intercourse

Q1.16 Test: If I found out I or my partner was pregnant with Q3.1 I would not know where to go to get tested




Q1.16 Test: If I found out I or my partner was pregnant


**Q1.16 Test: If I found out I or my partner was pregnant
with Q3.2 I would worry about the cost of an STD test**




**Q1.16 Test: If I found out I or my partner was pregnant
with Q3.3 I would worry the STD medical exam may cause me pain or discomfort**




**Q1.16 Test: If I found out I or my partner was pregnant
with Q3.4 It would be embarrassing to inform my partners of my STD results**




**Q1.16 Test: If I found out I or my partner was pregnant
with Q3.5 I would worry about my partner's reaction if I informed them I have a positive STD result**



**Q1.16 Test: If I found out I or my partner was pregnant
with Q3.6 The fear of receiving a positive STD result would keep me from getting tested for STDs**









**Q1.16 Test: If I found out I or my partner was pregnant
with Q3.7 I would worry about my STD test results not being kept confidential**




**Q1.16 Test: If I found out I or my partner was pregnant
with Q3.8 Lack of access to a clinic could keep me from getting tested for STDs**

Q3.8 Lack of access to a clinic could keep me from getting tested for




Q1.16 Test: If I found out I or my partner was pregnant

**Q1.16 Test: If I found out I or my partner was pregnant
with Q3.9 I would worry about family members finding out that I was tested for STDs**









**Q1.16 Test: If I found out I or my partner was pregnant
with Q3.10 I would worry about people I know seeing me at a clinic where STD testing is done**




**Q1.16 Test: If I found out I or my partner was pregnant
with Q3.11 I would worry about my testing information being mailed to my address**

Q3.11 I would worry about my testing information being mailed to my




Q1.16 Test: If I found out I or my partner was pregnant

**Q1.16 Test: If I found out I or my partner was pregnant
with Q3.12 My religious and/or cultural beliefs could keep me from being tested for STDs**




**Q1.16 Test: If I found out I or my partner was pregnant
with Q3.13 I would not feel comfortable talking about my sex life with people I don't know**


Q3.13 I would not feel comfortable talking about my sex life with people I don't know




All Respondents




Male




Female



Age 17 or Younger



Age 18 to 25



Age 26 or Older

Q1.16 Test: If I found out I or my partner was pregnant